

INSTRUCTION MANUAL PANEL - TUNABLE WHITE INSTALLATIONSANLEITUNG RASTERLEUCHTE

CAUTION:

- 1. The power must be turned off before installation.
- 2. The installation requires expert knowledge and must be performed by an electrician or a similar qualified person.
- 3. Before installing the product, please check if the local voltage frequency corresponds with the product requirements.
- 4. Do not install the luminaire if it is under mechanical force of any kind.
- 5. Only install the luminaire with appropriate fixing materials.
- 6. The panel requires an input current of 700 mA per channel. Only connect converters which are configured and released by LEDON.
- 7. The panel is designed for indoor use only.
- 8. When cleaning the fixture, turn power off and let it cool down completely. Clean the fixture with a soft cloth and a PH neutral detergent.
- 9. The external flexible cable or cord of this luminaire cannot be replaced; if the cord is damaged, the luminaire shall be destroyed.
- 10. The light source contained in this luminaire shall only be replaced by the manufacturer.

SICHERHEITSHINWEISE:

- 1. Schalten Sie die Spannungsversorgung vor der Installation aus.
- 2. Die Installation setzt Fachkenntnisse voraus und muss von einer qualifizierten Fachkraft, wie einem Elektriker oder einer ähnlich qualifizierten Person, durchgeführt werden.
- 3. Prüfen Sie vor der Installation, ob die lokale Spannungsversorgung mit den Produktanforderungen übereinstimmt.
- 4. Installieren Sie die Leuchte nicht, wenn auf diese mechanische Kraft jeglicher Art wirkt.
- 5. Installieren Sie die Leuchte nur mit passendem Befestigungsmaterial.
- 6. Das Panel benötigt eine Stromstärke von 700 mA pro Kanal. Verwenden Sie ausschließlich einen von LEDON freigegebenen Konverter.
- 7. Das Panel ist nur für den Einsatz in Innenräumen geeignet.
- 8. Wenn Sie die Leuchte reinigen, schalten Sie die Spannungsversorgung aus und warten Sie bis die Leuchte komplett abgekühlt ist. Reinigen Sie die Leuchte mit einem weichen Tuch und pH-neutralem Reinigungsmittel.
- 9. Das äußere flexible Kabel dieser Leuchte kann nicht ersetzt werden; wenn das Kabel beschädigt ist, muss die Leuchte entsorgt werden.
- 10. Die in dieser Leuchte enthaltene Lichtquelle darf nur durch den Hersteller ersetzt werden.





RECESSED TYPE - TUNABLE WHITE RASTERLEUCHTE - TUNABLE WHITE









